

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450 Alexandria, Vignia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/782,036	02/14/2001	Terence Martin Hinds	Q51544	8219
5	7590 05/20/2003			
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC			EXAMINER	
	'LVANIA AVENUE, N N, DC 20037-3213	I.W.	MAKI, STEVEN D	
			ART UNIT	PAPER NUMBER
			1733	15
			DATE MAILED: 05/20/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

· · · · · · · · · · · · · · · · · · ·				K-1			
i -		Application No.	Applicant(s)				
Office Action Summary		09/782,036	HINDS ET AL.				
		Examiner	Art Unit				
		Steven D. Maki	1733				
The N Period for Reply	IAILING DATE of this communication	appears on the cover sheet	with the correspondence address				
THE MAILING - Extensions of ting after SIX (6) MX - If the period for - If NO period for - Failure to reply - Any reply receive	IED STATUTORY PERIOD FOR REG DATE OF THIS COMMUNICATION me may be available under the provisions of 37 CF DNTHS from the mailing date of this communication reply specified above is less than thirty (30) days, a reply is specified above, the maximum statutory pewithin the set or extended period for reply will, by seed by the Office later than three months after the nearm adjustment. See 37 CFR 1.704(b).	DN. R 1.136(a). In no event, however, may a n. a reply within the statutory minimum of the eriod will apply and will expire SIX (6) Mo tatute, cause the application to become	a reply be timely filed nirty (30) days will be considered timely. DNTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
1)⊠ Respo	onsive to communication(s) filed on	17 March 2003 .					
2a)☐ This a	action is FINAL . 2b)⊠	This action is non-final.					
closed	d in accordance with the practice un		atters, prosecution as to the ments is C.D. 11, 453 O.G. 213.				
Disposition of C		1. db 11					
	s) <u>1-5,7,8 and 10-31</u> is/are pending						
	the above claim(s) is/are with	idrawn from consideration.	•				
<u> </u>	Claim(s) is/are allowed. Claim(s) <u>1-5,7,8 and 10-31</u> is/are rejected.						
	s) is/are objected to.						
	s) are subject to restriction ar	nd/or election requirement					
Application Pap		ia, or oroston roquitornont.					
9)☐ The spe	cification is objected to by the Exan	niner					
10)∐ The dra	wing(s) filed on is/are: a)□ a	ccepted or b) objected to by	the Examiner.				
	ant may not request that any objection t						
	posed drawing correction filed on _		disapproved by the Examiner.				
	oved, corrected drawings are required i	' '					
	h or declaration is objected to by the	e Examiner.					
	5 U.S.C. §§ 119 and 120						
	vledgment is made of a claim for for	eign priority under 35 U.S.C	. § 119(a)-(d) or (f).				
·	o)☐ Some * c)☐ None of:						
	Certified copies of the priority docum						
	Certified copies of the priority docum						
	Copies of the certified copies of the application from the Internationa attached detailed Office action for a	I Bureau (PCT Rule 17.2(a))					
			5. § 119(e) (to a provisional application)).			
_ a) 🔲 The	e translation of the foreign language edgment is made of a claim for dom	provisional application has	been received.				
Attachment(s)	J	p.i.e.ity andor 00 0.0.0					
2) 🔲 Notice of Drafts	rences Cited (PTO-892) sperson's Patent Drawing Review (PTO-948) sclosure Statement(s) (PTO-1449) Paper No) 5) 🔲 Notice o	v Summary (PTO-413) Paper No(s) f Informal Patent Application (PTO-152)				

Art Unit: 1733

1) A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3-17-03 has been entered.

- 2) The amendment to claim 6 filed 3-17-03 has not been entered by the PTO clerk since claim 6 was canceled on page 1 of the amendment filed 4-9-02.
- The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

It does not identify the foreign application for patent or inventor's certificate on which priority is claimed pursuant to 37 CFR 1.55, and any foreign application having a filing date before that of the application on which priority is claimed, by specifying the application number, country, day, month and year of its filing.

The declaration incorrectly identifies the filing date of Ireland application # 970633 as being "August 27, 1998" instead of --August 27, 1997--

The disclosure is objected to because of the following informalities: In the description of the invention (i.e. the description after page 2 line 12, "gel" (and variations thereof) should be changed to --fuse-- (and variations thereof). For example, "gel" should be changed to --fuse-- and "gelled" should be changed to --fused--. These changes are reasonably conveyed by the

Art Unit: 1733

original disclosure (<u>not</u> new matter) since (1) the original disclosure describes heating powder, granules or pellets of thermoplastic material to manufacture a floor covering and (2) the description of "fused" on page 9 line 29 of the original disclosure indicates that the thermoplastic material is fusible, it being noted that (1) powder, granules or pellets of thermoplastic material (in sharp contrast to a PVC plastisol) <u>cannot be gelled</u> (solidified) by heating, (2) powder, granules or pellets of thermoplastic material <u>can be fused</u> by heating and (3) the amendment filed 3-17-03, amended claim 1 describes "fuse" and "fused".

Appropriate correction is required.

- 5) The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 6) Claims 1-5, 7-8 and 10-31 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, the relationship between the first substrate in claim 1 and the pair of belts in claim 1 is unclear. The separate recitation of "first substrate" and "belts" indicates that the substrate is not one of the belts. However, dependent claim 10 requires "the first substrate is defined by a lower one of the belts". In other words, it is unclear if the floor covering made by the method claim 1 is or is not required to include the first substrate. Dependent claim 10 appears to indicate that the latter is intended.

Art Unit: 1733

In claims 3-5, what is the material? Should "material" in claims 3-5 be --fiber matt--?

In claim 7 (the rollers of claim 1 defining a gap), it is unclear what additional limitation is required.

Claims 15 and 16 ambiguously refer to "the thermoplastic material". Is the first thermoplastic material and / or the second thermoplastic material be described?

In claim 17, it is unclear if "a base coat forming material" is one of the first thermoplastic material or the second thermoplastic material and it is unclear if the saturation layer, which has no antecedent basis, is one of the first coating and second coating. Furthermore, claim 17 is confusing and ambiguous because it is unclear if claim 17 merely describing the steps of claim 1 using different words or if additional scattering, leading and applying heat steps are being claimed.

Claim 19 is confusing and ambiguous since it is unclear if all of the steps therein are in addition to the steps of claim 1 or if there is overlap of the steps of claim 1 and the steps in claim 19. For example: Is the step of "scattering a first thermoplastic material onto a first belt" (claim 19) the same as, in addition to or further limiting of the step of "scattering powder, granules or pellets of a thermoplastic material onto a first substrate to form a first coating" (claim 1)?

In claim 20 line 1, it is unclear if an additional pair of belts is required.

In claim 24, "whenever manufacturing" should be --manufactured by-- to clarify claim 24.

7) Applicant is advised that should claims 2, 13 and 14 be found allowable, claims 23, 15 and 16, respectively, will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof.

When two claims in an application are duplicates or else are so close in content that they both

Art Unit: 1733

cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

Claim 2 has the same scope as claim 23.

Claim 13 has the same scope as claim 15.

Claim 14 has the same scope as claim 16.

8) Claim 7 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form.

The limitation of claim 7 is already required by claim 1.

9) The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 10) The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 09/782,036

Art Unit: 1733

Schermutzki

Page 6

11) Claim 24 is rejected under 35 U.S.C. 102(b) as being anticipated by Schermutzki

(US Patent 4,743,187).

Schermutzki discloses a method comprising: scattering thermoplastic powder on a lower

belt to form a first layer of thermoplastic powder, applying a substrate (glass fiber matt) 4 to the

first layer of thermoplastic material; applying thermoplastic powder on the substrate 4; leading the

coated substrate between a pair of belts (1,2); applying heat and pressure between the belts using

pressure bodies 30 in compression zone 3 (column 3 lines 35-38); and cooling the layer (zone 5)

to form a product having smooth surfaces (col. 2 lines 66-68). See figure 1. A second glass fiber

mat may be used. See figure 3.

Product by process claim 24 fails to require a different product than that made by either

figure 1 or figure 3 process of Schermutzki. The description of "floor covering" relates to the

intended use and thereby fails to define over the product made by Schermutzki.

Brinkmann et al

Claims 1-5, 7 and 10-31 are rejected under 35 U.S.C. 103(a) as being unpatentable 12)

over Brinkmann et al (US Patent 4,396,566) in view of Takeuchi et al (US Patent 4,510,201)

and Schermutzki (US Patent 4,743,187) and in view of Weaver et al (US 3385722) and / or

Bradshaw et al (US 2960727).

Application/Control Number: 09/782,036

Page 7

Art Unit: 1733

Brinkmann et al discloses a method for making sheeting for use as a floor covering comprising: applying thermoplastic resin in the form of particles such as shreds, crumbs, cuttings, pieces, chips or the like onto a lower belt 11 to form a raw material layer; preheating the raw material layer using infrared radiators 19, 20; heating and pressing the preheated raw material layer between an upper belt and the lower belt 11 to form a thermoplastic sheet of welded (fused) particles wherein the material is heated during pressing to a welding (fusing) temperature and the lower belt 11; and cooling and pressing the sheet. See figure 1 and column 2 line 64. At column 3 lines 60-68, Brinkmann et al suggests making composite sheet by applying the particles to a textile supporting sheet comprising for example mineral fibers and pressing into a composite sheet in the treatment zone. Brinkmann et al does not specifically recite applying the thermoplastic particles twice so that thermoplastic particles are applied to each side of the textile sheet.

As to claims 1 and 24, it would have been obvious to one of ordinary skill in the art to apply thermoplastic particles on the lower belt 11 to form a first layer, apply a textile sheet on the first layer and then apply thermoplastic particles on the textile layer to form a second layer so that after heating and pressing between the belts, the composite sheet floor covering of Brinkmann et al comprises a textile sheet having thermoplastic material on both sides since: (a) Takeuchi et al, also directed to making a floor covering using thermoplastic particles (PVC powder), teaches that a floor covering having thermoplastic on both sides (figure 1) is an alternative to having thermoplastic on only one side (figure 2) and (b) Schermutzki, also directed to using thermoplastic particles to form a composite sheet, suggests applying a first layer of thermoplastic

Art Unit: 1733

particles on a lower belt before / upstream of applying a textile sheet (glass matt) and applying a second layer of thermoplastic particles on the glass mat and applying heat and pressure between a pair of belts in order to incorporate the textile sheet in the thermoplastic resin. The first substrate reads on the lower belt of Brinkmann et al. See for example dependent claim 10. In any event: It would have been obvious to use two textile sheets in the process of Brinkmann et al by applying a second textile sheet on the thermoplastic layer of particles and applying another layer of thermoplastic particles depending on the desired reinforcement since (a) Brinkmann suggests applying the thermoplastic particles after the textile sheet is arranged on the lower belt,

(b) Schermutzki suggests sequentially building layers (figure 5) and optionally (c) it is taken as well known / conventional per se in the floor covering art to sequentially build up alternating layers of textile and resin albeit resin in plastisol form (Brinkmann et al teaching to use thermoplastic particles instead of plastisol to make a floor covering).

The limitation of smoothing using a pair of **rollers** and cooling the layer would have been obvious depending on the desired smoothness in view of Bradshaw and/or Weaver - Bradshaw et al, which like Brinkmann et al applies heat to a layer of thermoplastic particles to fuse them together, suggesting using a pair of rolls 38, 44 in a pressing means comprising two belts such that the **rolls 38, 44** are between heating means 32, 34 and cooling means 48, 50 as shown in figure 1 and Weaver, also directed to using thermoplastic particles to make a floor covering, suggests that if desired the layer formed by applying heat and pressure to a thermoplastic particle

Art Unit: 1733

coated web, may be passed between **two rolls 19 and 20** "if a glossier surface is required" for the floor covering.

As to claim 2, note Brinkmann et al's suggestion at column 3 lines 60-68 to use a textile sheet in the form for example of a mat of mineral fibers.

As to claims 3-5 and 25, it would have been obvious to one of ordinary skill in the art to use a glass fiber mat such that the mat is less than 100g glass fiber / m² (claim 3), less than 65g glass fiber/ m² (claim 4) or 30-50g glass fiber /m² (claim 5) in view of Takeuchi et al's suggestion to form a sheet product for a floor covering wherein the sheet product may include a core layer of glass fiber having a density of 30-200 g/m² (column 7 lines 1-6).

As to claim 7, note either Bradshaw et al or Weaver's suggestion to use a pair of rolls.

As to claim 10, note the lower belt of Brinkmann et al.

As to claims 11 and 12, it would have been obvious to one of ordinary skill in the art to use the same material or different materials for the two layers since Takeuchi et al suggests applying the same material or different material to the two sides of the textile core 1.

As to claims 13-17 and 19 (thermoplastic particles forming basecoat / saturation layer), the limitations therein would have been obvious in view of the above noted suggestion from the applied prior art to use a first and second layer of thermoplastic particles in Brinkmann et al's process of making a floor covering.

As to claim 18, note the lower belt of Brinkmann et al.

Art Unit: 1733

As to claim 20, it would have been obvious to apply a third layer of thermoplastic particles in view of Takeuchi et al's teaching to make a sheet having more than three layers.

As to claims 21 and 26-28 (smoothing roller), it would have been obvious to use a smoothing roller in addition to the nip rollers for applying pressure in the belt press in view of (a) Brinkmann et al's teaching to apply heat and pressure in the belt press, (b) Bradshaw et al's teaching to apply heat and pressure in a belt press wherein nip rolls are used to apply pressure in the press and (c) Weaver's suggestion that a pair of rollers (heated roll 19, back roll 20 at low temperature) for forming a floor covering having a glossier surface may be used after applying heat and pressure.

As to claims 29-31, it would have been obvious to use infeed rolls and outfeed rolls for rolls 19, 20 since (a) Weaver shows using a outfeed roll 21 at the rolls 19, 20 whereat the thermoplastic containing layer is directed around the heated roll 19 for smoothing and (b) it is taken as well known / conventional in the molding art to use both infeed and outfeed rolls for directing a layer comprising thermoplastic through a pair of rollers of which at least one is heated.

As to claim 22, note Brinkmann et al's suggestion to cool using cooling zone 24, 24a...

As to claim 23, note Brinkmann et al's suggestion at column 3 lines 60-68 to use a textile sheet in the form for example of a mat of mineral fibers.

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brinkmann et al (US Patent 4,396,566) in view of Takeuchi et al (US Patent 4,510,201) and Schermutzki (US Patent 4,743,187) and in view of Weaver et al (US 3385722) and / or Bradshaw et al

Art Unit: 1733

(US 2960727) as applied above and further in view of Meyer (US 4997507) and Garbini et al (US 3883386).

As to claim 8, it would have been obvious to one of ordinary skill in the art to provide the pair of rollers such that they are adjustable nip rollers since use of adjustable rollers for exerting pressure on endless belts is well known / conventional in the endless belt press art as shown by Meyer and Garbini.

Claims 13-17 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brinkmann et al (US Patent 4,396,566) in view of Takeuchi et al (US Patent 4,510,201) and Schermutzki (US Patent 4,743,187) and in view of Weaver et al (US 3385722) and / or Bradshaw et al (US 2960727) as applied above and further in view of the admitted prior art (specification page 1 line 9 to page 2 line 2).

The description of basecoat, saturation layer is considered to be suggested by the above applied prior art. In any event: As to claims 13-17 and 19 (thermoplastic particles forming basecoat / saturation layer), the limitations therein would have been obvious in view of (a) the above noted suggestion from the applied prior art to use a first and second layer of thermoplastic particles in Brinkmann et al's process of making a floor covering and (b) the admitted prior art's teaching that known floor coverings include a "base coat" and a "saturation layer". As to claim 20, it would have been obvious to apply a third layer of thermoplastic particles in view of the admitted prior art's teaching to make a sheet having more than three layers including the "base coat" and the "saturation layer".

Application/Control Number: 09/782,036

Art Unit: 1733

15) Remarks

Applicant's arguments with respect to claims 1-5, 7-8 and 10-31 have been considered but are most in view of the new ground(s) of rejection.

- 16) No claim is allowed.
- Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven D. Maki whose telephone number is (703) 308-2068. The examiner can normally be reached on Monday to Friday from 7:00 AM to 3:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Ball, can be reached on (703) 308-2058. The fax phone number for Art Unit 1733 is (703) 305-7718. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0661.

Steven D. Maki May 19, 2003 STEVEN D. MAKI RIMARY EXAMINER GROUP 1300 Page 12

AU 1733